


# KYOCERA Power Tools Catalogue **2023**



# PROFESSIONAL TOOLS

# Vacuum Cleaner

## KYOCERA Vacuum Cleaner series

DRY 5L  
WET 5L



AVC51

DRY 15L  
WET 12L



AVC1100

DRY 15L  
WET 12L



AVC1150

DRY 13L  
WET 10L  
STAINLESS



AVC1150ST

DRY 21L  
WET 18L



AVC1200

DRY 21L  
WET 18L



AVC1250

DRY 23L  
WET 20L  
STAINLESS



AVC1250ST

DRY 12L  
WET 9L



AVC125RS

DRY 9.5L  
WET 5.8L  
INTERLOCK



AVC100W

### AVC51

Suction power **80W** Input **1,050W**

DRY 5L  
WET 5L



- \* Wet and dry vacuum cleaner with blower function.
- \* Compact body for convenient storage.
- \* Lightweight for carrying on the shoulders.



### AVC1100

Suction power **160W** Input **1,050W**

DRY 15L  
WET 12L



- \* Wet and dry vacuum cleaner with drain port for easy water drainage.
- \* Compact body for convenient storage.



### AVC1150

Suction power **280W** Input **1,150W**

DRY 15L  
WET 12L



- \* Powerful double-fan model.
- \* Wet and dry vacuum cleaner with drain port for easy water drainage.



### AVC1150ST

Suction power **280W** Input **1,150W**

DRY 13L  
WET 10L



- \* Stainless steel tank.
- \* Powerful double-fan model.
- \* Wet and dry vacuum cleaner with drain port for easy water drainage.

STAINLESS TANK



## Specifications

| Model     | Input power (W) | Suction power (W) | MAX air volume (m <sup>3</sup> / min) | MAX vacuum degree (kPa) | Tank size (L)    | Weight (kg) | Dimensions (mm) |
|-----------|-----------------|-------------------|---------------------------------------|-------------------------|------------------|-------------|-----------------|
| AVC51     | 1,050           | 80                | 1.2                                   | 16                      | Dry 5<br>Wet 5   | 4.0         | 350 x 285 x 370 |
| AVC1100   | 1,050           | 160               | 2.5                                   | 16                      | Dry 15<br>Wet 12 | 5.5         | 345 x 350 x 435 |
| AVC1150   | 1,150           | 280               | 3.0                                   | 25                      | Dry 15<br>Wet 12 | 6.5         | 345 x 350 x 435 |
| AVC1150ST | 1,150           | 280               | 3.0                                   | 25                      | Dry 13<br>Wet 10 | 8.4         | 420 x 420 x 460 |

# Vacuum Cleaner

## AVC1200

Suction power **160W** Input **1,050W**

DRY 21L  
WET 18L



- \* Wet and dry vacuum cleaner with drain port for easy water drainage.
- \* Compact body for convenient storage.



## AVC1250

Suction power **280W** Input **1,150W**

DRY 21L  
WET 18L



- \* Powerful double-fan model.
- \* Wet and dry vacuum cleaner with drain port for easy water drainage.



## AVC1250ST

Suction power **280W** Input **1,150W**

DRY 23L  
WET 20L



- \* High-corrosion resistance stainless steel tank.
- \* Powerful double-fan model.
- \* Wet and dry vacuum cleaner with drain port for easy water drainage.

**STAINLESS TANK**



## AVC125RS

Suction power **280W** Input **1,150W**

DRY 12L  
WET 9L



- \* Powerful double-fan model.
- \* Wet and dry vacuum cleaner with drain port for easy water drainage.



## AVC100W

Suction power **- W** Input **1,150W**

DRY 9.5L  
WET 5.8L



- \* Equipped with an outlet for power tools with an interlock function.
- \* Wet and dry vacuum cleaner with drain port for easy water drainage.

**INTERLOCK OUTLET**



## Specifications

| Model     | Input power (W) | Suction power (W) | MAX air volume (m <sup>3</sup> / min) | MAX vacuum degree (kPa) | Tank size (L)      | Weight (kg) | Dimensions (mm) |
|-----------|-----------------|-------------------|---------------------------------------|-------------------------|--------------------|-------------|-----------------|
| AVC1200   | 1,050           | 160               | 2.5                                   | 16                      | Dry 21<br>Wet 18   | 6.0         | 345 x 350 x 505 |
| AVC1250   | 1,150           | 280               | 3.0                                   | 25                      | Dry 21<br>Wet 18   | 7.0         | 345 x 350 x 505 |
| AVC1250ST | 1,150           | 280               | 3.0                                   | 25                      | Dry 23<br>Wet 20   | 9.0         | 420 x 420 x 580 |
| AVC125RS  | 1,150           | 280               | 3.0                                   | 25.3                    | Dry 12<br>Wet 9    | 6.6         | 358 x 332 x 430 |
| AVC100W   | 1,150           | -                 | 3.0                                   | 25.3                    | Dry 9.5<br>Wet 5.8 | 7.3         | 360 x 350 x 390 |




## 18V Vacuum Cleaner

# Powerful and Clean Exhaust

*Dismountable and washable*  
**Cyclone unit**



*Catches most fine dust*  
**HEPA Filter**



Noise  
**67 dB**  
(High mode)

Suction power  
Max.  
**100W**



Black

White

### DHC181

Suction Power  
Max. **100W**

**18V**

- \* The highest suction power in 18V class vacuum cleaner.\*
- \* Efficient cyclone unit.
- \* HEPA filter keeps exhaust clean.

#### Optional accessories



(6082815)

(6076497)

(6361360)

(6076517)

(6082753)

(6076507)

(6361383)

(6076527)

(4650800)



Japanese only



\* According to our research in May 2022.

#### Specifications

| Model         | Suction power (W)   | Operating time per charge (min)                        | Dust bag size (L)              | Weight (kg)                      | Dimensions (mm) |
|---------------|---|--|--------------------------------|----------------------------------|-----------------|
| <b>DHC181</b> | High 100<br>Middle 50<br>Low 35<br>(without Cyclone unit) | High 20<br>Middle 35<br>Low 45<br>(with 5.0Ah battery) | Dust bag 0.5<br>Paper bag 0.33 | 1.6<br>(Body with 5.0Ah battery) | 970 x 121 x 188 |

## Lithium-ion Battery and Charger

# Lithium-ion Technology



| Charging time    | DB3625L<br>36V: 2.5Ah<br>18V: 5.0Ah | B-1850LA<br>18V 5.0Ah | B-1815LA<br>18V 1.5Ah |
|------------------|-------------------------------------|-----------------------|-----------------------|
| <b>BC-1800L</b>  | 37 min                              | 24 min                |                       |
| <b>UBC1804L</b>  | 54 min                              | 21 min                |                       |
| <b>UBC-1802L</b> | 84 min                              | 25 min                |                       |



# High Pressure Washer



## WHY CHOOSE KYOCERA ?

### Japanese quality


Customers in our prime Japanese market requires a high level of product quality, such as silent operation, easy storage, and light weight.

As a manufacturer from Japan, we are confident of the usability to all customer requirements.



### Save water

High pressure washers can save up to about **70%** of water compared to a regular garden hose.



### Without priming water

KYOCERA's selected products\*<sup>1</sup> have an air vent valve that can suck up water from the tank without "priming water"\*<sup>2</sup>.

\*<sup>1</sup> AJP-2200GQ, AJP-2050, AJP-1700VGQ

\*<sup>2</sup> Normally, users have to remove air from a hose and machine by "priming water" to suck up water from a water tank.



Introduction movie  
Japanese only



# High Pressure Washer (Induction motor series)



## AJP-2200GQ

High range

1,400W

- \* 3 times higher durability\*.
- \* 50% less noisy\* thanks to the water-cooled induction motor.
- \* Air vent valve enables self-priming from outer water source more easily and speedy.
- \* Built-in hose reel with hose guide.

\*Compared to our other products.

### Water-cooled induction motor



Japanese model  
Former brand ver.



## AJP-2050

High range

1,200W

- \* 3 times higher durability\*.
- \* 50% less noisy\* thanks to the water-cooled induction motor.
- \* Air vent valve enables self-priming from outer water source more easily and speedy.
- \* Compact square design for easy storing.

\*Compared to our other products.

### Water-cooled induction motor



Japanese only  
Former brand ver.



## AJP-2010

High range

2,000W

- \* Long-life and high durability thanks to efficient induction motor.
- \* High mobility with large trolley wheels.
- \* Built-in detergent tank.

## Specifications

\*The specifications would be changed when setup high voltage models.

| Model      | Input power (W) | Motor                   | Rated Pressure (MPa)    | Water volume (L/min)  | Rated temperature (°C) | Weight (kg)                | Dimension (mm)        |
|------------|-----------------|-------------------------|-------------------------|-----------------------|------------------------|----------------------------|-----------------------|
| AJP-2200GQ | 1,400           | Water cooling induction | Max. 12.0<br>Rated 8.0  | Max. 6.5<br>Rated 5.0 | 40                     | 17.8<br>(include 15m hose) | 368 x 367 x 591 (923) |
| AJP-2050   | 1,200 (100V*)   | Water cooling induction | Max. 11.0<br>Rated 7.5  | Max. 6.5<br>Rated 6.0 | 40                     | 12.2                       | 395 x 249 x 282 (352) |
| AJP-2010   | 2,000           | Induction               | Max. 15.0<br>Rated 11.0 | Max 8.0<br>Rated 6.7  | 40                     | 20                         | 410 x 340 x 730 (894) |

# High Pressure Washer

## KYOCERA High Pressure Washer series

### High-range model



### Middle model



### Entry model



#### AJP-1700VGQ

High

1,450W



- \* Air vent valve enables self-priming from outer water source more easily and speedy.
- \* Variable pressure adjustment
- \* Foldable handle



Japanese only  
Former brand ver.

#### AJP-1700V

High

1,450W



- \* Variable pressure adjustment
- \* Foldable handle



Japanese only  
Former brand ver.

#### AJP-2030

Middle

1,800W



- \* Compact and quiet.
- \* One touch joint hose.



Japanese only



#### Air-vent valve



Japanese introduction movie for reference

Self-priming without "priming water" from tank.

\*AJP-2200GQ, AJP-2050, AJP-1700VGQ

#### One touch joint



One touch connection.

\*AJP-2030, AJP-1630, AJP-1430, AJP-1100.



## Specifications

| Model       | Input power (W) | Rated Pressure (MPa)       | Water volume (L/min)        | Weight (kg) | Dimension (mm)  |
|-------------|-----------------|----------------------------|-----------------------------|-------------|-----------------|
| AJP-1700VGQ | 1,700           | Max. 12<br>Rated 3.0 - 8.0 | Max. 6.7<br>Rated 3.5 - 6.0 | 8.4         | 304 x 318 x 668 |
| AJP-1700V   | 1,700           | Max. 12<br>Rated 3.0 - 8.0 | Max. 6.7<br>Rated 3.5 - 6.0 | 8.3         | 304 x 318 x 668 |
| AJP-2030    | 1,800           | Max. 14.0<br>Rated 9.5     | Max. 6.2<br>Rated 5.1       | 4.5         | 361 x 237 x 282 |



## High Pressure Washer

POWERFUL, COMPACT &  
**TOUGH**

**KYOCERA**

High-Pressure Washer

**AJP-1610**



### AJP-1610

Middle range

1,800W

- \* High durability pump.
- \* High mobility thanks to large trolley wheels.
- \* Built-in detergent tank.



### AJP-1630

Middle range

1,800W

- \* High mobility thanks to large trolley wheels.
- \* One touch joint hose.
- \* Soft and flexible gun hose.



### Specifications

| Model    | Input power (W) | Rated Pressure (MPa)    | Water volume (L/min)   | Weight (kg) | Dimension (mm)  |
|----------|-----------------|-------------------------|------------------------|-------------|-----------------|
| AJP-1610 | 1,800           | Max. 14.0<br>Rated 10.0 | Max. 8.0<br>Rated 6.67 | 7.5         | 256 x 333 x 800 |
| AJP-1630 | 1,800           | Max. 14.0<br>Rated 9.5  | Max. 6.2<br>Rated 5.1  | 6.0         | 298 x 367 x 787 |

# High Pressure Washer

## AJP-1620

Middle 1,900W



- \* High mobility thanks to large trolley wheels.
- \* Quiet mode reduces noise and saves 30% water and 40% electricity.



Japanese only  
Former brand ver.

## AJP-1600

Middle 1,700W



- \* High mobility thanks to large trolley wheels.

## AJP-1430

Middle 1,600W



- \* Compact size.
- \* 3.8 kg light weight.
- \* One touch joint hose.
- \* Soft and flexible gun hose.



### Super light weight



Easy carrying.

only 3.8 kg

### Compact & Powerful



High power in a compact size.

Max. 13 MPa

## AJP-1420

Middle 1,900W



- \* Stores accessories with hose hook and nozzle pocket.
- \* High durability.



Japanese only  
Former brand ver.

## AJP-1410

Middle 1,800W



- \* Nozzle pocket on the back.
- \* High durability.

## Specifications

| Model    | Input power (W) | Rated Pressure (MPa)    | Water volume (L/min)  | Weight (kg) | Dimension (mm)        |
|----------|-----------------|-------------------------|-----------------------|-------------|-----------------------|
| AJP-1620 | 1,900           | Max. 13.0<br>Rated 8.7  | Max. 7.2<br>Rated 6.0 | 8.2         | 337 x 281 x 585 (781) |
| AJP-1600 | 1,700           | Max. 15.0<br>Rated 11.0 | Max 8.0<br>Rated 6.67 | 7.5         | 260 x 360 x 830       |
| AJP-1430 | 1,600           | Max. 13.0<br>Rated 8.0  | Max. 6.2<br>Rated 5.1 | 3.8         | 241 x 304 x 413       |
| AJP-1420 | 1,900           | Max. 13.0<br>Rated 8.7  | Max. 7.2<br>Rated 6.0 | 6.6         | 301 x 249 x 551       |
| AJP-1410 | 1,800           | Max. 14.0<br>Rated 10.0 | Max. 6.5<br>Rated 5.6 | 6.2         | 268 x 261 x 525       |

# High Pressure Washer



## AJP-1310

Entry 1,400W



- \* Easy to carry thanks to compact and light body.
- \* The tray prevents water from leaking when storing.



Japanese only  
Former brand ver.

## AJP-1210

Entry 1,400W



- \* Easy to carry thanks to compact body.
- \* Stores the nozzle and hose together.



Japanese only  
Former brand ver.



## AJP-1100

Entry model 1,400W

- \* Compact body and high mobility thanks to large trolley wheels.
- \* One touch joint hose.



## AJP-800

Entry 800W



- \* Energy efficient model.
- \* Compact size for easy storage.

## AJP-55

Entry 1,400W



- \* Compact size for easy storage.
- \* Stores accessories with Hose hook and Nozzle holder.


## Specifications

| Model    | Input power (W) | Rated Pressure (MPa)   | Water volume (L/min)  | Weight (kg) | Dimension (mm)  |
|----------|-----------------|------------------------|-----------------------|-------------|-----------------|
| AJP-1310 | 1,400           | Max. 10.5<br>Rated 7.0 | Max. 7.2<br>Rated 6   | 6.2         | 221 x 387 x 404 |
| AJP-1210 | 1,400           | Max. 10.5<br>Rated 7.0 | Max. 7.2<br>Rated 6   | 5.2         | 180 x 374 x 411 |
| AJP-1100 | 1,400           | Max. 10.0<br>Rated 7.0 | Max. 6.5<br>Rated 5.5 | 4.5         | 240 x 320 x 480 |
| AJP-800  | 800             | Max. 9.0<br>Rated 6.5  | Max. 5.7<br>Rated 4.8 | 3.8         | 378 x 197 x 305 |
| AJP55    | 1400            | Max. 10.0<br>Rated 7   | Max. 6.5<br>Rated 5.5 | 3.7         | 198 x 214 x 452 |



# High Pressure Washer Accessories

## Rotary Cleaner



Japanese only



## Compact Rotary Cleaner



Japanese only



## Floor Cleaner



Japanese only




## Turbo Guard



Japanese only




## Rotary Brush



Japanese only



## Straight Brush



Japanese only




## Wide Brush



Japanese only



## Flexible Lance



Japanese only



## Underbody Spray Lance



Japanese only




## Variable Foam Nozzle



Japanese only




## Foam Nozzle



Japanese only



## Extension Pipe



Japanese only



# High Pressure Washer Accessories

|   |  |  |
|---|--|--|
| <p>Twist Prevention Joint</p>   <p>Japanese only</p>                   | <p>Wear resistant hose 10m</p>   <p>Japanese only</p>   | <p>Extension Hose 8m</p>   <p>Japanese only</p>                                   |
| <p>Extension Hose (one touch joint type)</p>   <p>Japanese only</p>  | <p>Pipe Cleaning Kit 7.5m</p>   <p>Japanese only</p>  | <p>Pipe Cleaning Kit Stainless 10m</p>   <p>Japanese only</p>                   |
| <p>Pipe Cleaning Kit 10m/15m</p>   <p>Japanese only</p>          | <p>Self-priming Kit</p>   <p>Japanese only</p>    | <p>Self-priming Kit (for Air vent valve models)</p>   <p>Japanese only</p>  |





# 18V High Pressure Washer

**Washing  
anytime  
anywhere**



## BPW-1800

Rated Pressure  
2.4 / 1.4MPa


18V



- \* High pressure washing without power source.
- \* 2-mode pressure setting.
- \* 5 in 1 nozzle enables changing the discharging angle and pressure easily.
- \* The battery cover protects battery from water splash.



Japanese only



Self-priming hose



5-mode in one nozzle



Battery cover

## Specifications

| Model           | Rated Pressure (MPa) | Water Volume (L/min) | Hose length (m ) | Weight (kg)                 | Dimension (mm)       |
|-----------------|----------------------|----------------------|------------------|-----------------------------|----------------------|
| <b>BPW-1800</b> | High 2.4<br>Low 1.4  | High 1.8<br>Low 1.4  | 5.0              | 1.8<br>(with 1.5Ah battery) | 558 (960) x 93 x 237 |





## Pictograph



Double Insulation



Variable Speed



Safety Switch



Automatic Lubrication



Reverse Action



Quiet Model

Quiet model



Segmented Core  
Brushless Motor



Electronic Variable  
Speed Control



Easy Bit Retainer



Dust Collection



Left / Right  
Switchable Handle



Keyless Chuck



Brushless Motor



Electronic Soft Start



Spindle Lock



Safety Clutch



Automatic Cut-off  
Brush



Electric Brake



Electronic Torque  
Control



Grease-packed  
Lubrication



Vibration Absorbing  
Handle



One Touch Joint



KYOCERA Industrial Tools Corporation

2-2-54, Matsuhama-cho, Fukuyama-shi,  
Hiroshima-ken, 720-0802, Japan

<https://www.kyocera-industrialtools.co.jp/english/>