

Circular Saws

W-1700



Input	1,010 W
Blade Diameter	165 mm
Blade Bore	20 mm
Max Cutting Capacity	57 mm (90 degrees)
Rotation Speed	4,700 min
Overall Dimensions	266 x 220 x 228 mm
Weight	2.9 kg

- * Powerful 165 mm blade circular saw for professional usage.
- * Special feature for accurate cutting.
 - Both side bevel adjust bracket.
 - Perpendicularity adjustment screw.
- * Wide gripping space in handle thanks to the unique mount of motor housing.

W-1700D



Input	1,010 W
Blade Diameter	165 mm
Blade Bore	20 mm
Max Cutting Capacity	57 mm (90 degrees)
Rotation Speed	4,700 min
Overall Dimensions	266 x 220 x 228 mm
Weight	2.9 kg

- * Aluminium die casting table version of W-1700.

W-1900



Input	1,050 W
Blade Diameter	190 mm
Blade Bore	20 mm
Max Cutting Capacity	68 mm (90 degrees)
Rotation Speed	4,700 min
Overall Dimensions	290 x 226 x 242 mm
Weight	3.3 kg

- * Powerful 190 mm blade circular saw for professional usage.
- * Special feature for accurate cutting.
 - Both side bevel adjust bracket.
 - Perpendicularity adjustment screw.
- * Wide gripping space in handle thanks to the unique mount of motor housing.

W-1900D



Input	1,050 W
Blade Diameter	190 mm
Blade Bore	20 mm
Max Cutting Capacity	68 mm (90 degrees)
Rotation Speed	4,700 min
Overall Dimensions	290 x 226 x 242 mm
Weight	3.3 kg

- * Aluminium die casting table version of W-1900.

Specifications

Model	Input	Blade Diameter	Blade Bore	Max Cutting Capacity	Rotation Speed	Overall Dimensions	Weight
W-1700	1,010 W	165 mm	20 mm	57 mm (90 degrees)	4,700 min	266 x 220 x 228 mm	2.9 kg
W-1700D	1,010 W	165 mm	20 mm	57 mm (90 degrees)	4,700 min	266 x 220 x 228 mm	2.9 kg
W-1900	1,050 W	190 mm	20 mm	68 mm (90 degrees)	4,700 min	290 x 226 x 242 mm	3.3 kg
W-1900D	1,050 W	190 mm	20 mm	68 mm (90 degrees)	4,700 min	290 x 226 x 242 mm	3.3 kg

Circular Saws

W-166D



* Blade is optional accessory.

Input	1,010 W
Blade Diameter	165 mm
Blade Bore	20 mm
Max Cutting Capacity	57 mm (90 degrees)
Rotation Speed	4,700 min
Overall Dimensions	266 x 220 x 228 mm
Weight	3.0 kg

- * Professional 165 mm circular Saw.
- * Double LED light for clear perspective.
- * Double soft grip for less-fatigue operation.
- * Durable aluminium table ensures accurate cutting work.

W-191D



* Blade is optional accessory.

Input	1,050 W
Blade Diameter	190 mm
Blade Bore	20 mm
Max Cutting Capacity	68 mm (90 degrees)
Rotation Speed	4,700 min
Overall Dimensions	267 x 218 x 229 mm
Weight	3.3 kg

- * 190 mm version of W-166D.

W-914



* Blade is the optional accessory.

Input	1,850 W
Blade Diameter	235 mm
Blade Bore	25.4 mm
Max Cutting Capacity	85 mm (90 degrees)
Rotation Speed	5,000 min
Overall Dimension	375 mm
Weight	7.0 kg

- * Powerful 235 mm blade circular saw for professional usage.



Specifications

Model	Input	Blade Diameter	Blade Bore	Max Cutting Capacity	Rotation Speed	Overall Dimensions	Weight
W-166D	1,010 W	165 mm	20 mm	57 mm (90 degrees)	4,700 min	266 x 220 x 228 mm	3.0 kg
W-191D	1,050 W	190 mm	20 mm	68 mm (90 degrees)	4,700 min	267 x 218 x 229 mm	3.3 kg
W-914	1,850 W	235 mm	25.4 mm	85 mm (90 degrees)	5,000 min	375 mm	7.0 kg

Circular Saws

W-571ED



Input	1,150 W
Blade Diameter	147 mm
Blade Bore	20 mm
Max Cutting Capacity	57 mm (90 degrees)
Rotation Speed	4,000 min
Overall Dimensions	249 x 213 x 169 mm
Weight	2.3 kg

- * Electronic torque control feature ensures powerful and less-noisy operation.
- * Cutting capacity is equivalent to 165 mm class circular saw thanks to original intermediate gear mechanism.

W-661ED



Input	1,150 W
Blade Diameter	165 mm
Blade Bore	20 mm
Max Cutting Capacity	66 mm (90 degrees)
Rotation Speed	4,000 min
Overall Dimensions	276 x 218 x 169 mm
Weight	2.5 kg

- * Electronic torque control feature ensures powerful and less-noisy operation.
- * Cutting capacity is equivalent to 190 mm class circular saw thanks to original intermediate gear mechanism.

W-760ED



Input	1,150 W
Blade Diameter	190 mm
Blade Bore	20 mm
Max Cutting Capacity	76 mm (90 degrees)
Rotation Speed	4,000 min
Overall Dimensions	296 x 234 x 169 mm
Weight	3.0 kg

- * Electronic torque control feature ensures powerful and less-noisy operation.
- * Cutting capacity is equivalent to 235 mm class circular saw thanks to original intermediate gear mechanism.

BW-470



Voltage	14.4V
Blade Diameter	125 mm
Blade Bore	20 mm
Max Cutting Capacity	47 mm
Rotation Speed	4,500 min
Charge Time	27 minutes
Battery Type	Li-Ion, 3,000 mAh
Overall Dimensions	267 x 188 x 234 mm
Weight	2.8 kg

- * Li-Ion cordless circular saw.
- * Constant torque.
- * 125 mm blade has the cutting capacity of 147 mm blade thanks to the original intermediate gear mechanism.
- * Various adjustment hinges for accuracy of the cutting work.
- * Packed in the luxury carrying soft case.



Specifications

Model	Input	Blade Diameter	Blade Bore	Max Cutting Capacity	Rotation Speed	Overall Dimensions	Weight
W-571ED	1,150 W	147 mm	20 mm	57 mm (90 degrees)	4,000 min	249 x 213 x 169 mm	2.3 kg
W-661ED	1,150 W	165 mm	20 mm	66 mm (90 degrees)	4,000 min	276 x 218 x 169 mm	2.5 kg
W-760ED	1,150 W	190 mm	20 mm	76 mm (90 degrees)	4,000 min	296 x 234 x 169 mm	3.0 kg

Model	Voltage	Blade Diameter	Blade Bore	Max Cutting Capacity	Rotation Speed	Charge Time	Battery Type	Overall Dimensions	Weight
BW-470	14.4 V	125 mm	20 mm	47 mm	4,500 min	27 minutes	Li-Ion, 3,000 mAh	267 x 188 x 234 mm	2.8 kg