

Cordless Impact Drivers

BID-1240



Voltage	12 V
Maximum Torque	120 Nm
Drilling Capacity	- Screw M4 ~ M10 - Bolt M5 ~ M12
Rotation Speed	0 ~ 1,900 / 0 ~ 2,700 min
Charge Time	30 minutes
Battery Type	Ni-Cd, 1,300 mAh
Overall Dimensions	160 x 76 x 230 mm

- * Weight 1.5 kg.
- * Powerful cordless impact driver.
- * Advanced impact mechanism creates 120 Nm high torque.
- * 2-mode variable speed for versatile application.
- * 3-LED light with afterglow.
- * Slim gear head without screws on gear case prevents the scratch on the materials.
- * Keyless hex-drive chuck allows for quick and easy bit change.
- * 30 minutes charger.



BID-1228



Voltage	12 V
Maximum Torque	120 Nm
Drilling Capacity	- Screw M4 ~ M8 - Bolt M5 ~ M10
Rotation Speed	0 ~ 1,600 / 0 ~ 2,200 min
Charge Time	30 minutes
Battery Type	Ni-Cd, 1,300 mAh
Overall Dimensions	183 x 76 x 236 mm
Weight	1.6 kg

- * Powerful cordless impact driver.
- * Bright LED light.
- * Packed in the luxury soft carrying case.

BID-1440



Voltage	14.4 V
Maximum Torque	150 Nm
Drilling Capacity	- Screw M4 ~ M8 - Bolt M5 ~ M14
Rotation Speed	0 ~ 1,800 / 0 ~ 2,500 min
Charge Time	27 minutes
Battery Type	Li-Ion, 1,500 mAh
Overall Dimensions	145 x 82 x 224 mm
Weight	1.2 kg

- * 14.4 V Li-Ion battery impact driver.
- * Super GEL grip reduces the vibration.
- * Advanced impact mechanism creates 140 Nm high torque.
- * 2-mode variable speed for versatile application.
- * 3-LED light with afterglow.
- * Slim gear head without screws on gear case prevents the scratch on the materials.
- * Keyless hex-drive chuck allows for quick and easy bit change.
- * 27 minutes charger.
- * 1.2 kg light weight body.
- * Deluxe tool case.

BID-1406



Voltage	14.4 V
Maximum Torque	130 Nm
Drilling Capacity	- Screw M4 ~ M8 - Bolt M5 ~ M14
Rotation Speed	0 ~ 2,400 min
Charge Time	30 minutes
Battery Type	Ni-Cd, 1,300 mAh
Overall Dimensions	183 x 76 x 236 mm
Weight	1.5 kg

- * Powerful Li-Ion battery impact driver.
- * Bright LED light.
- * Packed in the luxury injection carrying case.

BID-143



Voltage	14.4 V
Maximum Torque	150 Nm
Drilling Capacity	- Screw M4 ~ M8 - Bolt M5 ~ M14
Rotation Speed	0 ~ 1,800 / 0 ~ 2,500 min
Charge Time	27 minutes
Battery Type	Li-Ion, 3,000 mAh
Overall Dimensions	145 x 82 x 240 mm
Weight	1.4 kg

- * 3,000 mAh model of BID-1440.

Specifications

Model	Voltage	Maximum Torque	Drilling Capacity	Rotation Speed	Charge Time	Battery Type	Overall Dimensions	Weight
BID-1240	12 V	120 Nm	- Screw M4 ~ M10 - Bolt M5 ~ M12	0 ~ 1,900 / 0 ~ 2,700 min	30 minutes	Ni-Cd, 1,300 mAh	160 x 76 x 230 mm	1.5 kg
BID-1228	12 V	120 Nm	- Screw M4 ~ M8 - Bolt M5 ~ M10	0 ~ 1,600 / 0 ~ 2,200 min	30 minutes	Ni-Cd, 1,300 mAh	183 x 76 x 236 mm	1.6 kg
BID-1406	14.4 V	130 Nm	- Screw M4 ~ M8 - Bolt M5 ~ M14	0 ~ 2,400 min	30 minutes	Ni-Cd, 1,300 mAh	183 x 76 x 236 mm	1.5 kg
BID-1440	14.4 V	150 Nm	- Screw M4 ~ M8 - Bolt M5 ~ M14	0 ~ 1,800 / 0 ~ 2,500 min	27 minutes	Li-Ion, 1,500 mAh	145 x 82 x 224 mm	1.2 kg
BID-143	14.4 V	150 Nm	- Screw M4 ~ M8 - Bolt M5 ~ M14	0 ~ 1,800 / 0 ~ 2,500 min	27 minutes	Li-Ion, 3,000 mAh	145 x 82 x 240 mm	1.4 kg